


7055 Herbert Road
Canfield, OH 44406
Ph: (330) 533-9863 - Fx: (330) 533-1211

Common Round Tube Profiles


Ref. #	OD	ID	T	Comments:
1038	0.311	0.165	0.073	
1039	0.312	0.196	0.058	
1040	0.312	0.214	0.049	
1041	0.325	0.177	0.074	3 Exterior Square Ridges
1042	0.330	0.250	0.040	
1043	0.350	0.280	0.035	
1044	0.370	0.170	0.100	
1045	0.375	0.083	0.146	
1046	0.375	0.275	0.050	
1047	0.375	0.251	0.062	
1049	0.381	0.159	0.111	5 Flutes
1050	0.406	0.126	0.140	
1051	0.420	0.334	0.043	
1052	0.433	0.357	0.038	
1054	0.438	0.206	0.116	
1055	0.490	0.406	0.042	28 Flutes
1056	0.500	0.270	0.115	
1058	0.500	0.402	0.049	
1059	0.500	0.410	0.045	
1060	0.500	0.430	0.035	
1061	0.500	0.400	0.050	
1062	0.500	0.370	0.065	
1063	0.501	0.201	0.150	
1064	0.505	0.285	0.110	
1065	0.505	0.407	0.049	
1066	0.510	0.430	0.040	(6) 0.015 Rises
1067	0.516	0.390	0.063	
1068	0.563	0.201	0.181	

Common Round Tube Profiles




Ref. #	OD	ID	T	Comments
1070	0.595	0.515	0.040	
1072	0.620	0.504	0.058	
1073	0.620	0.348	0.136	Replaces RT-031
1074	0.625	0.355	0.135	Replaced by RT-183
1075	0.625	0.525	0.050	
1076	0.625	0.527	0.049	Flutes
1077	0.625	0.555	0.035	
1078	0.625	0.549	0.038	
1079	0.625	0.509	0.058	
1080	0.675	0.493	0.091	
1081	0.687	0.311	0.188	
1082	0.742	0.654	0.044	35 Flutes
1083	0.742	0.666	0.038	
1085	0.744	0.484	0.130	Replaces RT-039
1084	0.744	0.484	0.130	Q.C. / 1 Side Flat
1087	0.750	0.650	0.050	
1088	0.750	0.680	0.035	
1089	0.750	0.374	0.188	
1090	0.750	0.620	0.065	
1091	0.750	0.650	0.050	
1092	0.750	0.680	0.035	
1093	0.750	0.650	0.050	
1095	0.750	0.590	0.080	
1096	0.750	0.634	0.058	
1098	0.787	0.315	0.236	
1097	0.787	0.255	0.266	
1099	0.812	0.652	0.080	
1100	0.820	0.272	0.274	

Common Round Tube Profiles




Ref. #	OD	ID	T	Comments
1101	0.840	0.437	0.201	
1103	0.870	0.794	0.038	
1104	0.872	0.756	0.058	
1113	0.875	0.775	0.050	
1114	0.875	0.745	0.065	
1111	0.875	0.795	0.040	O.D. & I.D. Fluted
1109	0.875	0.805	0.035	No Die
1108	0.875	0.735	0.070	
1107	0.875	0.781	0.047	
1106	0.875	0.655	0.110	
1105	0.875	0.775	0.050	
1117	0.975	0.859	0.058	
1116	0.975	0.765	0.105	3 Ribs on O.D.
1118	0.988	0.828	0.080	
1120	0.995	0.901	0.047	
1121	0.995	0.919	0.038	
1133	1.000	0.900	0.050	
1131	1.000	0.840	0.080	
1136	1.000	0.884	0.058	
1134	1.000	0.916	0.042	
1137	1.000	0.563	0.219	ID
1132	1.000	0.900	0.050	48 Flutes
1129	1.000	0.500	0.250	
1128	1.000	0.880	0.060	45 Flutes
1127	1.000	0.906	0.047	
1125	1.000	0.850	0.075	
1124	1.000	0.696	0.152	Flutes
1135	1.000	0.930	0.035	



7055 Herbert Road
Canfield, OH 44406
Ph: (330) 533-9863 - Fx: (330) 533-1211


Common Round Tube Profiles

Ref. #	OD	ID	T	Comments:
1130	1.000	0.876	0.062	3 Voids
1138	1.020	0.936	0.042	
1139	1.020	0.500	0.260	
1140	1.055	0.819	0.118	
1141	1.093	0.695	0.194	Hexagonal O.D.
1144	1.125	1.055	0.035	
1145	1.125	1.025	0.050	
1146	1.125	1.009	0.058	
1147	1.146	1.046	0.050	
1148	1.181	1.063	0.059	
1149	1.210	1.110	0.050	12 Angular Flutes
1150	1.237	0.937	0.150	
1157	1.250	1.000	0.250	
1152	1.250	1.180	0.035	
1153	1.250	1.140	0.055	
1155	1.250	1.174	0.038	
1156	1.250	1.180	0.035	
1158	1.260	1.124	0.068	
1159	1.300	1.092	0.104	
1160	1.310	1.150	0.080	
1161	1.315	1.049	0.133	
1162	1.315	0.957	0.179	
1163	1.375	1.255	0.060	
1164	1.375	1.205	0.000	
1165	1.430	1.250	0.090	
1168	1.500	1.374	0.063	
1169	1.500	1.334	0.083	
1170	1.500	1.375	0.065	


 7055 Herbert Road
 Canfield, OH 44406
 Ph: (330) 533-9863 - Fx: (330) 533-1211

Common Round Tube Profiles


Ref. #	OD	ID	T	Comments
1171	1.500	1.250	0.125	Replaces RT-099
1167	1.500	1.390	0.055	
1172	1.526	1.416	0.055	
1173	1.541	1.433	0.054	6 Bumps on I.D.
1174	1.545	1.415	0.065	
1175	1.550	1.434	0.058	
1176	1.625	1.559	0.033	
1177	1.625	1.527	0.049	
1178	1.645	1.540	0.052	
1179	1.646	1.520	0.063	
1182	1.660	1.480	0.000	
1181	1.660	1.380	0.140	
1183	1.681	1.250	0.216	
1185	1.750	1.250	0.250	
1186	1.750	1.620	0.065	
1187	1.760	0.996	0.040	O.D. & I.D. Fluted
1188	1.851	1.695	0.078	
1189	1.875	1.625	0.125	
1190	1.875	1.675	0.100	
1331	1.900	0.145		1-1/2" SCHEDULE 40 PIPE
1191	1.916	1.626	0.145	
1192	1.969	1.811	0.079	
1193	1.995	1.391	0.302	
1198	2.000	1.900	0.050	
1200	2.000	1.500	0.250	
1199	2.000	1.750	0.125	
1194	2.000	1.870	0.065	9 Flutes
1195	2.000	1.884	0.058	


 7055 Herbert Road
 Canfield, OH 44406
 Ph: (330) 533-9863 - Fx: (330) 533-1211

Common Round Tube Profiles


Ref. #	OD	ID	T	Comments
1196	2.000	1.870	0.065	
1197	2.000	1.834	0.083	
1201	2.075	1.875	0.100	
1202	2.125	1.995	0.065	
1203	2.125	1.995	0.065	
1204	2.180	2.096	0.042	
1205	2.250	2.075	0.087	
1206	2.250	2.120	0.065	
1207	2.250	2.080	0.000	
1208	2.260	1.842	0.209	5 Voids
1209	2.281	2.081	0.100	
1210	2.375	2.067	0.154	
1211	2.375	1.939	0.000	
1212	2.485	2.285	0.100	
1214	2.500	2.260	0.120	Replaced by RT-191
1216	2.500	0.000	0.000	Serrations - 0.045 - 0.060 walls
1217	2.500	2.370	0.065	
1218	2.500	2.376	0.062	
1219	2.500	2.268	0.116	Replaces RT-125
1220	2.500	2.334	0.083	
1221	2.500	2.063	0.000	
1222	2.508	2.410	0.049	
1223	2.510	2.400	0.055	
1224	2.625	2.541	0.420	
1225	2.715	2.515	0.100	
1227	2.750	0.000	0.000	Hexagonal O.D. / Round I.D.
1226	2.750	2.652	0.049	Q.C.
1325	2.868	2.366	0.251	

Common Round Tube Profiles



Ref. #	OD	ID	T	Comments
1229	2.875	2.587	0.144	
1230	2.950	2.850	0.050	
1231	2.950	2.806	0.072	
1232	2.950	2.700	0.125	
1233	2.953	2.639	0.157	
1234	2.960	2.760	0.100	
1235	2.970	0.000	0.000	Serrations - 0.050 - 0.070 walls
1236	2.975	2.469	0.203	
1242	3.000	2.834	0.083	
1241	3.000	2.750	0.125	8 Flutes
1245	3.000	2.842	0.079	
1244	3.000	2.500	0.250	
1237	3.000	2.750	0.125	
1240	3.000	2.870	0.065	
1239	3.000	2.860	0.070	Q.C. / 41 Flutes
1238	3.000	2.750	0.125	10 Flutes
1243	3.000	2.842	0.079	
1246	3.250	3.000	0.125	
1247	3.250	3.100	0.075	
1248	3.300	3.100	0.100	
1249	3.500	3.068	0.216	
1250	3.500	3.260	0.120	
1251	3.500	3.370	0.065	
1252	3.625	3.125	0.250	
1253	4.000	3.750	0.125	
1261	4.000	3.834	0.083	
1259	4.000	3.500	0.250	
1260	4.000	3.760	0.120	

Common Round Tube Profiles



Ref. #	OD	ID	T	Comments
1257	4.000	3.624	0.188	12 Inverted Flutes
1256	4.000	3.250	0.375	10 Flutes
1254	4.000	3.750	0.125	10 Flutes
1258	4.000	3.624	0.188	
1255	4.000	3.870	0.065	
1262	4.045	3.875	0.085	
1263	4.252	3.938	0.157	
1264	4.370	3.940	0.215	Rounded Grooves I.D.
1265	4.500	4.340	0.080	
1266	4.500	4.334	0.083	
1267	4.500	4.260	0.120	
1268	4.600	3.400	0.600	30 Flutes / Square Ends
1269	4.750	4.550	0.100	
1270	4.916	4.750	0.083	
1272	5.000	4.250	0.375	24 Inverted Flutes
1273	5.000	4.724	0.138	
1274	5.000	4.834	0.083	
1275	5.000	4.760	0.120	
1276	5.000	4.624	0.188	
1277	5.000	4.500	0.250	
1271	5.000	4.624	0.188	12 Flutes
1278	5.490	5.060	0.215	5 Grooves I.D.
1279	5.562	5.046	0.258	
1280	6.000	5.804	0.098	